Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	6	("5477032" "5618460" "5285053").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:22
L3	0	2 and ((resistor with jumper) same (resistance with value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:41
L4	0	2 and (resistor with jumper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:24
L5	0	2 and (resistor same jumper same (resistance with value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:26
L6	0	2 and (resistor same jumper same resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:26
L8	0	2 and (look-up with table with temperature) and (resistance with (temperature heat thermal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:45
L9	0	2 and (look-up with table with (temperature heat thermal)) and (resistance with (temperature heat thermal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:41
L11	1	(measur$6 with temperature with (appliance or oven)) and ((resistor with jumper) same (resistance with value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:41
L12	6	(measur$6 with temperature with (appliance or oven)) and (look-up with table with (temperature heat thermal)) and (resistance with (temperature heat thermal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:45

L14		1	12 and (voltage with supply) and (voltage with divider) and junction and (voltage with across with resistor) and (voltage with across with temperature with transducer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:43
L15		1	12 and ((look-up with table with (temperature heat thermal)) same (resistance with (temperature heat thermal) with transducer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:47
S1		1	(measur$6 with temperature with (appliance or oven)) and resistor and (voltage with supply) and ground and (voltage with divider) and junction and (voltage with across with resistor) and (voltage with across with temperature with transducer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 17:42
S2		10	(measur$6 with temperature with (appliance or oven)) and resistor and (voltage with supply) and ground and (voltage with divider) and junction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 19:32
S3		2	((measur$6 with temperature with (appliance or oven)) and resistor and (voltage with supply) and ground and (voltage with divider) and junction) and (voltage with across with resistor) and (temperature with transducer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 19:36
S4		2	(measur$6 with temperature with (appliance or oven)) and resistor and (voltage with supply) and ground and (voltage with divider) and junction and (processor or microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 19:39
S5		5	("4010412" "4405855" "5981916" "4506146" "6091060").pn.	USPAT	OR	ON	2004/07/21 19:28
S6		0	(("4010412" "4405855" "5981916" "4506146" "6091060").pn.) and resistor and (voltage with supply) and ground and (voltage with divider) and junction and (temperature with transducer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 19:30
S7		0	(("4010412" "4405855" "5981916" "4506146" "6091060").pn.) and resistor and (voltage with supply) and ground and (voltage with divider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 19:30

S8	1	("702"/$.ccls. or "219"/$.clss. or "73"/$.ccls.) and ((measur$6 with temperature with (appliance or oven)) and resistor and (voltage with supply) and ground and (voltage with divider) and junction) and (voltage with across with resistor) and (temperature with transducer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 19:38
S9	20	("702"/$.ccls. or "219"/$.clss. or "73"/$.ccls.) and ((measur$6 with temperature) and resistor and (voltage with supply) and ground and (voltage with divider) and junction) and (voltage with across with resistor) and (temperature with transducer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 19:39
S10	9	(("702"/$.ccls. or "219"/$.clss. or "73"/$.ccls.) and ((measur$6 with temperature) and resistor and (voltage with supply) and ground and (voltage with divider) and junction) and (voltage with across with resistor) and (temperature with transducer)) and (processor or microprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 19:39
S11	2	((("702"/$.ccls. or "219"/$.clss. or "73"/$.ccls.) and ((measur$6 with temperature) and resistor and (voltage with supply) and ground and (voltage with divider) and junction) and (voltage with across with resistor) and (temperature with transducer)) and (processor or microprocessor)) and (voltage with across with temperature with transducer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 19:40